

**AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT**

1. CONTRACT ID CODE \_\_\_\_\_ PAGE \_\_\_\_\_ OF \_\_\_\_\_ PAGES

2. AMENDMENT/MODIFICATION NO. \_\_\_\_\_ 3. EFFECTIVE DATE \_\_\_\_\_ 4. REQUISITION/PURCHASE REQ. NO. \_\_\_\_\_ 5. PROJECT NO. *(If applicable)* \_\_\_\_\_

6. ISSUED BY \_\_\_\_\_ CODE \_\_\_\_\_ 7. ADMINISTERED BY *(If other than Item 6)* \_\_\_\_\_ CODE \_\_\_\_\_

8. NAME AND ADDRESS OF CONTRACTOR *(No., street, county, State and ZIP Code)* \_\_\_\_\_ (X) 9A. AMENDMENT OF SOLICIATION NO. \_\_\_\_\_  
 9B. DATED *(SEE ITEM 11)* \_\_\_\_\_  
 10A. MODIFICATION OF CONTRACT/ORDER NO. \_\_\_\_\_  
 10B. DATED *(SEE ITEM 11)* \_\_\_\_\_  
 CODE \_\_\_\_\_ FACILITY CODE \_\_\_\_\_

**11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS**

The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers  is extended,  is not extended. Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods:  
 (a) By completing items 8 and 15, and returning \_\_\_\_\_ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment your desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA *(If required)* \_\_\_\_\_

**13. THIS ITEM ONLY APPLIES TO MODIFICATION OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.**

CHECK ONE	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: <i>(Specify authority)</i> THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES <i>(such as changes in paying office, appropriation date, etc.)</i> SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:
	D. OTHER <i>(Specify type of modification and authority)</i>

**E. IMPORTANT:** Contractor  is not,  is required to sign this document and return \_\_\_\_\_ copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION *(Organized by UCF section headings, including solicitation/contract subject matter where feasible.)*

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER <i>(Type or print)</i>	16A. NAME AND TITLE OF CONTRACTING OFFICER <i>(Type or print)</i>
15B. CONTRACTOR/OFFEROR	16B. UNITED STATES OF AMERICA
15C. DATE SIGNED	16C. DATE SIGNED
<i>(Signature of person authorized to sign)</i>	<i>(Signature of Contracting Officer)</i>

Item 14. Continued.

#### **CHANGES TO PROPOSAL RECEIPT DATE**

1. Standard Form 1442, First Page, Item No. 13.A.- In the second line, change the bid opening date from "11 July, 2000" to "20 July, 2000".

#### **CHANGES TO BIDDING SCHEDULE**

2. Replace the Bidding Schedule, pages 00010-3 through 00010-6, with the accompanying new Bidding Schedule, bearing the notation "ACCOMPANYING AMENDMENT NO. 0005 TO SOLICITATION NO. DACA63-00-B-0021."

#### **CHANGES TO THE SPECIFICATIONS**

3. Replacement Sections - Replace the following section with the accompanying new section of the same number and title, bearing the notation "ACCOMPANYING AMENDMENT NO. 0005 TO SOLICITATION NO. DACA63-00-B-0021:"

09915 COLOR SCHEDULE

#### **CHANGES TO THE DRAWINGS**

4. New Drawings.- The new drawing listed below which accompanies this amendment, bearing the notation "AM #0005" shall be added to and become a part of the contract documents:

s19\_5.cal Seq 106 S-19 MASONRY NOTES

5. Replacement Drawings.- Replace the drawings listed below with the attached new drawings(s) of the same number, bearing the notation "AM #0005":

a29\_5.cal Seq 70 A29 1st Floor Room Finish Schedule  
a30\_5.cal Seq 71 A30 2nd Floor Room Finish Schedule  
a31\_5.cal Seq 72 A31 3rd Floor Room Finish Schedule  
s01\_5.cal Seq 88 S-1 STRUCTURAL NOTES & MISCELLANEOUS DETAILS  
s03\_5.cal Seq 90 S-3 FOUNDATION PLAN - AREA A  
s04\_5.cal Seq 91 S-4 FOUNDATION PLAN - AREA B  
s05\_5.cal Seq 92 S-5 FOUNDATION SECTIONS I  
s07\_5.cal Seq 94 S-7 FOUNDATION SECTIONS AND DETAILS III  
s08\_5.cal Seq 95 S-8 SECOND FLOOR FRAMING PLAN - AREA A  
s09\_5.cal Seq 96 S-9 SECOND FLOOR FRAMING PLAN - AREA B  
s10\_5.cal Seq 97 S-10 2ND & 3RD FLOOR SECTIONS I  
s11\_5.cal Seq 98 S-11 2ND & 3RD FLOOR SECTIONS II  
s12\_5.cal Seq 99 S-12 THIRD FLOOR FRAMING PLAN - AREA A  
s13\_5.cal Seq 100 S-13 THIRD FLOOR FRAMING PLAN - AREA B  
s14\_5.cal Seq 101 S-14 INTERMEDIATE FLOOR SECTIONS I  
s16\_5.cal Seq 103 S-16 ROOF FRAMING PLAN - AREA A  
s17\_5.cal Seq 104 S-17 ROOF FRAMING PLAN - AREA B  
s18\_5.cal Seq 105 S-18 ROOF FRAMING SECTION 1  
s20\_5.cal Seq 107 S-20 MISCELLANEOUS DETAILS 2

END OF AMENDMENT

Soldier Service Center (Title)  
Fort Hood, Texas Location)

Solicitation No. DACA63-00-B-0021

BIDDING SCHEDULE  
 (To be attached to SF 1442)

Item No.	Description	Estimated Quantity	Unit	Unit Cost	Estimated Amount
<i>BASE BID: All work required by the plans and specifications for the construction of the Soldier Service Center <u>excluding</u> all Options.</i>					
0001	Soldier Development Center building complete (Including all utilities to the five foot line exclusive of all work listed separately)		Job	Sum	*** \$ _____
0002	Drilled Piers:				
0002AA	18-inch Drilled Piers	[AM#5] <u>922</u>	VLF	\$ _____	\$ _____
0002AB	24-inch Drilled Piers	420	VLF	\$ _____	\$ _____
0002AC	30-inch Drilled Piers	2370	VLF	\$ _____	\$ _____
0002AD	36-inch Drilled Piers	360	VLF	\$ _____	\$ _____
0002AE	42-inch Drilled Piers	60	VLF	\$ _____	\$ _____
0003	All Exterior Work outside the building's five foot line including all utilities, earthwork, paving sidewalk, curb and gutter, demolition, turfing, and all other work not listed separately		Job	Sum	*** \$ _____
0004	Final Record Drawings		Job	Sum	*** \$ <u>50,000.00</u>
				<b>TOTAL BASE BID</b>	\$ _____

BIDDING SCHEDULE (Cont)

Item No.	Description	Estimated Quantity	Unit	Unit Cost	Estimated Amount
<i>OPTION 1, Bid Item 0005: All work required by the plans and specifications for the Demolition of Buildings 107, 108, &amp; 134 and all associated items and utilities shown as Option 1 including HTRW abatement.</i>					
<b>0005AA</b>	Building and all other demolition exclusive of HTRW abatement listed separately below	Job	Sum	***	\$_____
<b>0005AB</b>	HTRW abatement	Job	Sum	***	\$_____
<b>TOTAL OPTION 1</b>					\$_____
<i>OPTION 2, Bid Item 6: All work required by the plans and specifications for the Pedestrian Bridge which crosses Hood Road.</i>					
<b>0006AA</b>	Pedestrian Bridge complete (Including all utilities to the five foot line exclusive of all work listed separately)	Job	Sum	***	\$_____
<b>0006AB</b>	30-inch Drilled Piers	150	VLF	\$_____	\$_____
<b>TOTAL OPTION 2</b>					\$_____
<i>OPTION 3: All work required by the plans and specifications for the Traffic Signals located at the intersection of Battalion Avenue and NEW 50<sup>th</sup> Street.</i>					
<b>0007</b>		Job	Sum	***	\$_____
<i>OPTION 4: All work required by the plans and specifications for the new 300 space POV parking area located at the northwest corner of the intersection of Battalion Avenue and Hood Road.</i>					
<b>0008</b>		Job	Sum	***	\$_____
<i>OPTION 5: All work required by the plans and specifications for the Landscape irrigation.</i>					
<b>0009</b>		Job	Sum	***	\$_____

BIDDING SCHEDULE (Cont)

Item No.	Description	Estimated Quantity	Unit	Unit Cost	Estimated Amount
<i>OPTION 6:</i> All work required by the plans and specifications for the additional landscaping (trees) on Sheet L-1.					
0010		Job	Sum	***	\$_____
<i>OPTION 7:</i> All work required by the plans and specifications for the removal of all utility lines to be capped & abandoned on Sheets C-6 & C-7.					
0011		Job	Sum	***	\$_____
<b>TOTAL BASE BID PLUS OPTIONS 1 THRU 7</b> \$_____					

NOTES:

1. ARITHMETIC DISCREPANCIES: (1989 JUL)

(a) For the purpose of initial evaluation of bids, the following will be utilized in resolving arithmetic discrepancies found on the face of the bidding schedule as submitted by bidders:

(1) Obviously misplaced decimal points will be corrected;

(2) In case of discrepancy between unit price and extended price, the unit price will govern;

(3) Apparent errors in extension of unit prices will be corrected; and

(4) Apparent errors in addition of lump-sum and extended prices will be corrected.

(b) For the purposes of bid evaluation, the Government will proceed on the assumption that the bidder intends his bid to be evaluated on the basis of the unit prices, extensions, and totals arrived at by resolution of arithmetic discrepancies as provided above and the bid will be so reflected on the abstract of bids. (EFARS 14.406-2)

Solicitation No. DACA63-00-B-0021

BIDDING SCHEDULE (cont)

NOTES: (cont)

2. If a modification to a bid based on unit prices is submitted, which provides for a lump sum adjustment to the total estimated cost, the application of the lump sum adjustment to each unit price in the bid schedule must be stated. If it is not stated, the bidder agrees that the lump sum adjustment shall be applied on a pro rata basis to every unit price in the bid schedule.

3. Bidders must bid on all items.

4. Costs attributable to Division 01 - General Requirements are assumed to be prorated among bid items listed.

5. Responders are advised that this requirement may be delayed, canceled or revised at any time during the solicitation, selection, evaluation, negotiation and/or final award process based on decisions related to DOD changes in force structure and disposition of the Armed Services.

6. For the purpose of this solicitation, the word "item" shall be considered to mean "schedule" as used in Provision 52,214-0019, CONTRACT AWARD--SEALED BIDDING--CONSTRUCTION, in Section 00100 INSTRUCTIONS, CONDITIONS, AND NOTICES TO BIDDERS, excluding additives, deductives or options

7. EXERCISE OF OPTIONS (SWDR 715-1-1 (16 January 1996))

The Government reserves the right to exercise the option(s) by written notice to the Contractor either singularly or in any combination for up to 90 calendar days after award of the Base Bid without an increase in the Offeror's Bid Price. Completion of added items shall continue at the same schedule as the Base Bid unless otherwise noted in Section 01000 CONSTRUCTION SCHEDULE, paragraph 1 entitled SCHEDULE.

8. ABBREVIATIONS

For the purpose of this solicitation, the units of measure are represented as follows:

- a. EA (each)
- b. GAL (gallons)
- c. CF (cubic feet)
- d. SF (square feet)
- e. LS (lump sum)
- f. VLF (Vertical linear feet)

ACCOMPANYING AMENDMENT NO. 0005 TO SOLICITATION NO. DACA63-00-B-0021

Solicitation No. DACA63-00-B-0021

BIDDING SCHEDULE (cont)

NOTES: (cont)

9. [AM#3] Apparent Low Bidder if he is Large Business shall submit SubContracting Plan within 2 calendar days following Bid Opening.

END OF BIDDING SCHEDULE

## SECTION 09915

## COLOR SCHEDULE

06/93

AMENDMENT #0005

## PART 1 GENERAL

## 1.1 GENERAL

This section covers only the color of the exterior and interior materials and products that are exposed to view in the finished construction. The word "color" as used herein includes surface color and pattern. Requirements for quality and method of installation are covered in other appropriate sections of the specifications. Specific locations where the various materials are required are shown on the drawings. Items not designated for color in this section may be specified in other sections. When color is not designated for items, the Contractor shall propose a color for approval.

## 1.2 SUBMITTALS

Government approval is required for submittals with a "GA" designation; submittals having an "FIO" designation are for information only. The following shall be submitted in accordance with Section 01330 SUBMITTAL PROCEDURES:

SD-14 Samples

Color board; GA.

Three sets of color boards, 120 days after the Contractor is given Notice to proceed, complying with the following requirements:

- a. Color boards shall reflect all actual finish textures, patterns, and colors required for this contract.
- b. Materials shall be labeled with the finish type, manufacturer's name, pattern, and color reference.
- c. Samples shall be on size A4 or 8-1/2 by 11 inch boards with a maximum spread of size A1 or 25-1/2 by 33 inches for foldouts.
- d. Samples for this color board are required in addition to samples requested in other specification sections.
- e. Color boards shall be submitted to:  
ARCHITECTURAL SECTION  
DESIGN BRANCH  
FORT WORTH DISTRICT

## PART 2 PRODUCTS

## 2.1 REFERENCE TO MANUFACTURER'S COLOR

Where color is shown as being specific to one manufacturer, an equivalent color by another manufacturer may be submitted for approval. Manufacturers and materials specified are not intended to limit the selection of equal colors from other manufacturers.

## 2.2 COLOR SCHEDULE

The color schedule lists the colors, patterns and textures required for exterior and interior finishes, including both factory applied and field applied colors.

### 2.2.1 Exterior Walls

Exterior wall colors shall apply to exterior wall surfaces including recesses at entrances and projecting vestibules. Conduit shall be painted to closely match the adjacent surface color. Wall color shall be provided to match the colors listed below.

- a. Brick:  
ACME: Elgin, Painted Desert

#### AM#1

- b. Mortar: SGS P631, WHITE CEMENT/TAN SAND
- c. Pre-Engineered Building in Mechanical Yard:  
AM#1 SHERWIN WILLIAMS; RED BARN SW2307
- d. Metal AM#1 Guardgate and Screening:SHERWIN WILLIAMS; RED BARN SW2307  
Sherwin Williams; White Heron, SW2425

#### AM#1

- e. Cast Stone: Continental, 1104 Buff

### 2.2.2 Exterior Trim

Exterior trim shall be provided to match the colors listed below.

- a. Doors and Door Frames:  
AM#1 Graham Arch. Products; Antique Bronze  
AM#5  
METAL DOORS TO BE PAINTED TO MATCH STANDING SEAM ROOF, TERRA COTTA
- b. Windows (mullion, muntin, sash, trim, and sill):  
AM#1 Graham Arch. Products; Antique Bronze

- d. Fascia:  
USG; Fog
- e. Downspouts, Gutter, Louvers, and Flashings:  
AM#1 Downspouts off Standing Seam Metal Roof shall match roof,  
American Buildings Company, Terra Cotta  
  
Remaining Downspouts, gutter, lovers, and flashings; Sherwin  
Williams, White Heron, SW2425.
- f. Handrails, Guardrails, Stairs:  
Sherwin Williams; White Heron, SW2425
- g. Soffits and Ceilings:  
USG; Fog
- h. Signage:  
Base Standard, See Arch. Drwgs.
- i. Overhangs:  
USG; Fog
- j. Caulking and Sealants:  
Shall match surrounding material.

#### 2.2.3 Exterior Roof

Roof color shall apply to exterior roof surfaces including sheet metal flashings and copings, mechanical units, roof trim, pipes, conduits, electrical appurtenances, and similar items. Roof color shall be provided to match the colors listed below.

- a. Metal:  
AM#1 American Buildings Company; Terra Cotta

#### 2.2.4 Interior Floor Finishes

Flooring materials shall be provided to match the colors listed below.

- b. Carpet Tile:  
F101; Interface; Furrows, 1446 Top Soil
- c. Vinyl Composition Tile:  
F201; Mannington; Essentials, Sandrift 137

- d. Sheet Vinyl:  
F301; Mannington; Bio-Spec, Oyster White 15101  
F302; Mannington; Bio-Spec, Charcoal 15144

## NOTE:

See Arch. Drwg. I-03 for pattern in Medical A312 and Dental A313

**AM#5**

- f. **Recessed Floor Mats:**  
**C/S Flooring Systems; Pedigrid; Rail/Frame, Black**  
**Carpet Insert, Silverado #9301**

- h. Ceramic Tile:  
F401; Dal-tile; Keystones, Almond D035, 2" x 2"
- i. Porcelain Tile:  
F501: Dal-tile; Rocky Mountian, Nero 806 Unpolished, 12" x 12"  
F502: Dal-tile; Rocky Mountain, Bianco 801 Unpolished, 12" x 12"

## NOTE:

See Arch. Drwgs A29, A30, A31 for porcelain tile F501 and F502 installation areas.

Floor Tile, F501, shall be installed in Dal-tile Brickwork Square Pattern.

Floor Tile, F502, shall be installed in Men and Women Toilet Areas in a 45 degree angle.

- j. Grout:  
M401; Custom Bldg. Products; New Taupe

**2.2.5 Interior Base Finishes**

Base materials shall be provided to match the colors listed below.

- a. Resilient Base and Edge Strips:  
B101; Johnsonite, Tightlock, TCB 20, Charcoal, 4".  
**AM#1** B102; Johnsonite, Cove, 24 **Moon** Rock, 4"
- c. Ceramic Tile:  
B201; Dal-tile; Keystones, Almond 035, MB-5A.

- d. Porcelain Tile:  
B301; Dal-tile; Rocky Mountain, Nero Bullnose, S44C9  
**AM#1 B302**; Dal-tile; Rocky Mountain, Bianco, Bullnose, S44C9
- e. Grout:  
M401; Custom Bldg. Products; New Taupe

#### 2.2.6 Interior Wall Finishes

Interior wall color shall apply to the entire wall surface, including reveals, vertical furred spaces, grilles, diffusers, electrical and access panels, and piping and conduit adjacent to wall surfaces unless otherwise specified. Items not specified in other paragraphs shall be painted to match adjacent wall surface. Wall materials shall be provided to match the colors listed below.

- a. Paint:  
W101; Sherwin Williams; Canvas Tan 1129  
W102; Sherwin Williams; Neutral Ground 1130

**NOTE:**

Paint to be applied over Wall Texture that shall match USG;  
Knock-Down & Skip Trowel or approved equal.

- b. Vinyl Wall Covering:  
W201; Tri-kes; VP02-5080

**AM#1**

- c. **Porcelian Tile**  
**W301; Dal-tile; Rocky Mountain, Bianco 801, 12" X 12"**  
**W302; Dal-tile; Rocky Mountain, Nero 806, 6" x 12"**

**NOTE: See Arch. Drwg. A29 for wall pattern details.**

- d. Ceramic Tile:  
W401; Dal-tile; Keystones, Porcelain, 2" x 2"
- e. Ceramic Tile Grout:  
M401; Custom Bldg. Products; New Taupe

- f. Acoustical Wall Covering:  
AM#1 W901; Tri-kes; Overture; Malibu 7005

AM#3

- h. Acoustical Wall Panels:  
W501; USG; Silent Touches; Fabric-Guilford of Maine, Bailey 2299,  
010 Belmont Silver

NOTE:

SEE ARCH. DRWGS. I-06 AND I-07 FOR ACOUSTICAL WALL PANEL DETAILS.

2.2.7 Interior Ceiling Finishes

Ceiling colors shall apply to ceiling surfaces including soffits, furred down areas, grilles, diffusers, registers, and access panels. Ceiling color shall also apply to joist, underside of roof deck, and conduit and piping where joists and deck are exposed and required to be painted. Ceiling materials shall be provided to match the colors listed below.

- a. Acoustical Tile and Grid:  
C301; Armstrong; Fine Fissured Open Plan, Med. Texture, White
- b. Paint:  
C201; Sherwin Williams; Canvas Tan 1129  
C202; Sherwin Williams; Neutral Ground, 1130
- c. Vault  
C302; Sherwin Williams; Metalworks Vault/Aluminum, Perforated White

2.2.8 Interior Trim

Interior trim shall be provided to match the colors listed below.

- a. Doors:  
D101; Sherwin Williams; Canvas Tan 1129  
AM#1 D201; Graham Arch. Products, Antique Bronze  
AM#5  
WOOD DOORS TO BE STAINED CLEAR NATURAL STAIN ON RED OAK
- b. Door Frames:  
T101; Sherwin Williams; Canvas Tan 1129  
AM#1 T201; Graham Arch. Products, Antique Bronze

- c. Windows (mullion, muntin, sash, trim, and stool):  
AM#1 Graham Arch. Products, Antique Bronze
- d. Window Sills:  
Sherwin Williams; Canvas Tan 1129
- e. Fire Extinguisher Cabinets:  
AM#1 To Match Graham Arch. Products, Antique Bronze
- f. Handrails:  
Sherwin Williams, Canvas Tan 1129
- g. Ladders: [\_\_\_\_\_].
- h. Metal Stairs:  
Sherwin Williams, Canvas Tan 1129

#### 2.2.9 Interior Window Treatment

Window treatments shall be provided to match the colors listed below.

- a. Shadecloth:  
M301; Mecho, Euroveil, Graphite 5311

#### 2.2.10 Interior Miscellaneous

Miscellaneous items shall be provided to match the colors listed below.

- a. Toilet Partitions and Urinal Screen:  
M201; Santana, Black
- b. Plastic Laminate:  
PL-1; Wilsonart; Canyon 1754-60  
NOTE:  
Countertop and Base B104  
  
PL-2; Wilsonart; Bronze Legacy 4656-60  
NOTE:  
Countertop and Base Locations as indicated in Arch. Drwgs, Rooms  
A104Q, B209, B209B, B306A, B306B  
  
PL-3; Wilsonart; Chemsurt, Greystone 4790-60  
NOTE:  
Countertop and Base locations as indicated in Arch Drwgs, Rooms  
A312A, A312B

Countertop and Backsplash locations as indicated in Arch Drwgs,  
Rooms A312Q, A312U, A312V

- c. Signage Message Color (excluding handicapped signage):  
White
- d. Signage Background Color (excluding handicapped signage):  
Black
- e. Lockers:  
M101; Penco, 028 Black
- f. Operable Partitions:  
Kwik-Wall; Maharam, Teck-Wall 1000, Mintless 179
- g. Corner Guards:  
Korseal; K-8 Cream
- h. Wall Switch Handles and Standard Receptacle Bodies:  
Stainless Steel
- i. Electrical Device Cover Plates and Panels:  
Stainless Steel
- j. Casework:  
See Arch Drwgs. and Plastic Laminate.

PART 3 EXECUTION (Not Applicable)

-- End of Section --