

2. AMENDMENT/MODIFICATION NO. 0002	3. EFFECTIVE DATE 5 APR 99	4. REQUISITION/PURCHASE REQ. NO.	5. PROJECT NO. <i>(If applicable)</i>
6. ISSUED BY Department of the Army Corps of Engineers Fort Worth District		7. ADMINISTERED BY <i>(If other than Item 6)</i>	CODE

8. NAME AND ADDRESS OF CONTRACTOR <i>(No., street, county, State and ZIP Code)</i>	(√)	9A. AMENDMENT OF SOLICITATION NO. DACA63-99-B-0021
	X	9B. DATED <i>(SEE ITEM 11)</i> 25 FEBRUARY 1999
		10A. MODIFICATION OF CONTRACTS/ORDER NO.
		10B. DATED <i>(SEE ITEM 13)</i>
CODE		FACILITY CODE

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers is extended, is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods:
 (a) By completing Items 8 and 15, and returning 1 copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA *(If required)*

13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.

(√)	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: <i>(Specify authority)</i> THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES <i>(such as changes in paying office, appropriation date, etc.)</i> SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:
	D. OTHER <i>(Specify type of modification and authority)</i>

E. IMPORTANT: Contractor is not, is required to sign this document and return _____ copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION *(Organized by UCF section headings, including solicitation/contract subject matter where feasible.)*
 The Solicitation for INSTALL STANDING SEAM METAL ROOF BUILDING 1456, FORT POLK, LOUISIANA, is amended as follows:

See Continuation Sheet.

NOTE: The Bid Opening date is "16 April 1999, 2 p.m.", in accordance with amendment no. 0003.

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER <i>(Type or print)</i>	16A. NAME AND TITLE OF CONTRACTING OFFICER <i>(Type or print)</i>
15B. CONTRACTOR/OFFEROR _____ <i>(Signature of person authorized to sign)</i>	15C. DATE SIGNED
	16B. UNITED STATES OF AMERICA BY _____ <i>(Signature of Contracting Officer)</i>
	16C. DATE SIGNED

Item 14. Continued.

a. Wage Rates.

Void pages 00710-1 through 00710-25, and substitute therefor the attached pages 00710-1 through 00710-26, each page bearing the notation "ACCOMPANYING AMENDMENT NO. 0002 TO SOLICITATION NO. DACA63-99-B-0021".

b. Specifications.

The following listed section shall be voided and the accompanying new section of the same title and number, bearing the notation "ACCOMPANYING AMENDMENT NO. 0002 TO SOLICITATION NO. DACA63-99-B-0021" shall be substituted therefor:

SECTION 07413 METAL SIDING

c. Drawings.

The drawings listed below shall be voided and the attached new drawings of the same number, each bearing the notation "AM #0002", shall be substituted therefor:

Seq 19 S-3 ROOF FRAMING PLAN
Seq 20 S-4 SECTIONS AND DETAILS
Seq 21 S-5 SECTIONS AND DETAILS
Seq 22 S-6 SECTIONS AND DETAILS

General Decision Number LA990005

Superseded General Decision No. LA980005

State: Louisiana

Construction Type:

BUILDING

County(ies):

ACADIA	GRANT	SABINE
ALLEN	IBERIA	ST HELENA
ASSUMPTION	IBERVILLE	ST JAMES
AVOYELLES	JACKSON	ST LANDRY
BEAUREGARD	JEFFERSON DAVIS	ST MARY
BIENVILLE	LA SALLE	TANGIPAHOA
CALDWELL	LAFOURCHE	TENSAS
CAMERON	LINCOLN	TERREBONNE
CATAHOULA	MADISON	UNION
CLAIBORNE	MOREHOUSE	VERMILION
CONCORDIA	NATCHITOCHE	VERNON
DE SOTO	OUACHITA	WASHINGTON
EAST CARROLL	PLAQUEMINES	WEBSTER
EAST FELICIANA	POINTE COUPEE	WEST CARROLL
EVANGELINE	RED RIVER	WEST FELICIANA
FRANKLIN	RICHLAND	WINN

BUILDING CONSTRUCTION PROJECTS (Does not include single family homes & apartments up to and including 4 stories)

Modification Number	Publication Date
0	03/12/1999

COUNTY(ies):

ACADIA	GRANT	SABINE
ALLEN	IBERIA	ST HELENA
ASSUMPTION	IBERVILLE	ST JAMES
AVOYELLES	JACKSON	ST LANDRY
BEAUREGARD	JEFFERSON DAVIS	ST MARY
BIENVILLE	LA SALLE	TANGIPAHOA
CALDWELL	LAFOURCHE	TENSAS
CAMERON	LINCOLN	TERREBONNE
CATAHOULA	MADISON	UNION
CLAIBORNE	MOREHOUSE	VERMILION
CONCORDIA	NATCHITOCHE	VERNON
DE SOTO	OUACHITA	WASHINGTON
EAST CARROLL	PLAQUEMINES	WEBSTER
EAST FELICIANA	POINTE COUPEE	WEST CARROLL
EVANGELINE	RED RIVER	WEST FELICIANA
FRANKLIN	RICHLAND	WINN

ASBE0021D 05/01/1998

Rates Fringes

BIENVILLE, CALDWELL, CLAIBORNE, DE SOTO, GRANT, JACKSON, LINCOLN, NATCHITOCHE, OUACHITA, RED RIVER, SABINE, UNION, WEBSTER & WINN PARISHES:

ACCOMPANYING AMENDMENT NO. 0002 TO SOLICITATION NO. DACA63-99-B-0021

ASBESTOS WORKERS/INSULATORS (Includes application of all insulating materials, protective coverings, coatings & finishings to all types of mechanical systems) 15.79 4.25

ASBE0053A 02/24/1997

	Rates	Fringes
ASSUMPTION, AVOYELLES, CATAHOULA, CONCORDIA, EAST FELICIANA, IBERIA, IBERVILLE, LAFOURCHE, LA SALLE, PLAQUEMINES, POINTE COUPEE, ST. HELENA, ST. JAMES, ST. LANDRY, ST. MARY, TANGIPAHOA, TERREBONNE, WASHINGTON & WEST FELICIANA PARISHES:		

ASBESTOS WORKERS/INSULATORS (Includes application of all insulating materials, protective coverings, coatings and finishings to all types of mechanical systems) 16.88 3.95

ASBE0112A 05/01/1998

	Rates	Fringes
ACADIA, ALLEN, BEAUREGARD, CAMERON, EVANGELINE, JEFFERSON DAVIS, VERMILION & VERNON PARISHES		

ASBESTOS WORKERS/INSULATORS (Includes application of all insulating materials, protective coverings, coatings and finishings to all types of mechanical systems) 19.145 2.335

ASBE0114A 07/01/1998

	Rates	Fringes
EAST CARROLL, FRANKLIN, MADISON, MOREHOUSE, RICHLAND, TENSAS & WEST CARROLL PARISHES:		

ASBESTOS WORKERS/INSULATORS (Includes application of all insulating materials, protective coverings, coatings and finishings to all types of mechanical systems) 14.75 3.80

BOIL0037A 11/01/1998

	Rates	Fringes
ASSUMPTION, LAFOURCHE, PLAQUEMINES, ST. JAMES, TANGIPAHOA, TERREBONNE & WASHINGTON PARISHES:		

BOILERMAKERS 19.60 6.00

BOIL0079A 08/08/1996

	Rates	Fringes
ACADIA, ALLEN, BEAUREGARD, BIENVILLE, CAMERON, CLAIBORNE, DE SOTO, EVANGELINE, GRANT, IBERIA, JACKSON, JEFFERSON DAVIS,		

ACCOMPANYING AMENDMENT NO. 0002 TO SOLICITATION NO. DACA63-99-B-0021

LINCOLN, NATCHITOCHEs, RED RIVER, SABINE, ST. LANDRY, ST. MARY,
UNION, VERMILION, VERNON, WEBSTER & WINN PARISHES:

BOILERMAKERS	18.48	5.45
--------------	-------	------

BOIL0582A 11/01/1998

	Rates	Fringes
AVOYELLES, CALDWELL, CATAHOULA, CONCORDIA, EAST CARROLL, EAST FELICIANA, FRANKLIN, IBERVILLE, LA SALLE, MADISON, MOREHOUSE, OUACHITA, POINTE COUPEE, RICHLAND, ST. HELENA, TENSAS, WEST CARROLL & WEST FELICIANA PARISHES:		

BOILERMAKERS	19.60	5.75
--------------	-------	------

BRLA0001A 11/01/1998

	Rates	Fringes
BRICKLAYERS & STONEMASONS:		
AREA 1	16.52	3.20
AREA 2	15.11	2.60
AREA 3	14.75	1.95
AREA 4	15.15	2.80

BRICKLAYER & STONEMASON AREA DEFINITIONS

AREA 1 - Acadia, Allen, Avoyelles, Beauregard, Cameron,
Catahoula, Concordia, Evangeline, Grant, Jefferson Davis,
La Salle, Natchitoches, Pointe Coupee, Sabine, St. Landry,
Vernon & Winn Parishes

AREA 2 - Assumption, East Feliciana, Iberia, Iberville,
St. Helena, St. Mary, Tangipahoa, Vermilion, Washington &
West Feliciana Parishes

AREA 3 - Bienville, Caldwell, Claiborne, De Soto, East Carroll,
Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita,
Red River, Richland, Tensas, Union, Webster & West Carroll
Parishes

AREA 4 - Lafourche, Plaquemines, St. James & Terrebonne Parishes

BRLA0001E 11/01/1998

	Rates	Fringes
MARBLE SETTERS:		
AREA 1	16.52	3.20
AREA 2	15.39	2.60
AREA 3	14.75	1.95
AREA 4	15.55	2.80

TERRAZZO WORKERS & TILE SETTERS:

AREA 1	13.72	3.20
AREA 2	14.39	2.60

ACCOMPANYING AMENDMENT NO. 0002 TO SOLICITATION NO. DACA63-99-B-0021

AREA 3	13.07	.95
AREA 4	14.55	2.80

AREA DEFINITIONS

AREA 1 - Acadia, Allen, Avoyelles, Beauregard, Cameron, Catahoula, Concordia, Evangeline, Grant, Jefferson Davis, La Salle, Natchitoches, Pointe Coupee, Sabine, St. Landry, Vernon & Winn Parishes

AREA 2 - Assumption, East Feliciana, Iberia, Iberville, St. Helena, St. Mary, Tangipahoa, Vermilion, Washington & West Feliciana Parishes

AREA 3 - Bienville, Caldwell, Claiborne, De Soto, East Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Red River, Richland, Tensas, Union, Webster & West Carroll Parishes

AREA 4 - Lafourche, Plaquemines, St. James & Terrebonne Parishes

BRLA0001H 11/01/1998

	Rates	Fringes
CAULKERS; CLEANERS; & POINTERS:		
AREA 1	16.52	3.20
AREA 2	15.39	2.60
AREA 3	14.75	1.95
AREA 4	15.55	2.80

MARBLE, TERRAZZO & TILE FINISHERS:

AREA 1	8.60	2.20
AREA 2	8.01	2.60
AREA 3	8.40	2.20
AREA 4	8.60	2.00

AREA DEFINITIONS

AREA 1 - Acadia, Allen, Avoyelles, Beauregard, Cameron, Catahoula, Concordia, Evangeline, Grant, Jefferson Davis, La Salle, Natchitoches, Pointe Coupee, Sabine, St. Landry, Vernon & Winn Parishes

AREA 2 - Assumption, East Feliciana, Iberia, Iberville, St. Helena, St. Mary, Tangipahoa, Vermilion, Washington & West Feliciana Parishes

AREA 3 - Bienville, Caldwell, Claiborne, De Soto, East Carroll, Franklin, Jackson, Lincoln, Madison, Morehouse, Ouachita, Red River, Richland, Tensas, Union, Webster & West Carroll Parishes

AREA 4 - Lafourche, Plaquemines, St. James & Terrebonne Parishes

ACCOMPANYING AMENDMENT NO. 0002 TO SOLICITATION NO. DACA63-99-B-0021

CARP0062A 05/01/1998

Rates Fringes

ASSUMPTION, IBERIA (East of the Atchafalaya River), LAFOURCHE,
 PLAQUEMINES, ST. JAMES (South of the Mississippi River),
 ST. MARY (East of the Atchafalaya River), TANGIPAHOA, TERREBONNE
 & WASHINGTON PARISHES:

LATHERS	14.78	2.30
---------	-------	------

CARP0403A 07/01/1998

Rates Fringes

AVOYELLES, GRANT, LA SALLE, NATCHITOCHEs & SABINE PARISHES:

CARPENTERS	15.00	
MILLWRIGHTS	15.75	
PILEDRIVERMEN	15.50	

CARP0720A 06/01/1998

Rates Fringes

EAST FELICIANA, IBERVILLE (Excluding portion south of an East-
 West line from Darrow, Louisiana to the Atchafalaya River),
 POINTE COUPEE, ST. HELENA, ST. JAMES (North of the Mississippi
 River) & WEST FELICIANA PARISHES:

MILLWRIGHTS	15.60	.16
-------------	-------	-----

CARP0764A 11/01/1998

Rates Fringes

BIENVILLE, CLAIBORNE, DE SOTO, RED RIVER & WEBSTER PARISHES:

CARPENTERS	13.25	2.70
PILEDRIVERMEN	13.50	2.70
MILLWRIGHTS	14.00	2.70
LATHERS	13.75	2.70

CARP0953A 05/01/1998

Rates Fringes

ALLEN, BEAUREGARD, CAMERON (Excluding Strategic Petroleum
 Reserve), JEFFERSON DAVIS & VERNON (Excluding Fort Polk)
 PARISHES:

CARPENTERS & PILEDRIVERMEN	13.51	1.88
----------------------------	-------	------

CAMERON (Strategic Petroleum Reserve) & VERNON (Fort Polk)
 PARISHES:

CARPENTERS & PILEDRIVERMEN	16.10	1.88
MILLWRIGHTS	17.10	1.88

CARP1098A 05/01/1998

Rates Fringes

EAST FELICIANA, IBERVILLE (Excluding portion south of an East-

ACCOMPANYING AMENDMENT NO. 0002 TO SOLICITATION NO. DACA63-99-B-0021

West line from Darrow, Louisiana to the Atchafalaya River),
 POINTE COUPEE, ST. HELENA, ST. JAMES (North of the Mississippi
 River) & WEST FELICIANA PARISHES:

CARPENTERS	10.40	1.95
------------	-------	------

CARP1476A 06/01/1998

	Rates	Fringes
ALLEN, BEAUREGARD, CAMERON, JEFFERSON DAVIS & VERNON PARISHES:		

MILLWRIGHTS	12.53	.07
-------------	-------	-----

CARP1811A 07/01/1998

	Rates	Fringes
CALDWELL, EAST CARROLL, FRANKLIN, JACKSON, LINCOLN, MOREHOUSE, OUACHITA, RICHLAND, TENSAS, UNION, WEST CARROLL & WINN PARISHES:		

CARPENTERS	12.30	1.85
MILLWRIGHTS	13.20	1.85
PILEDRIVERMEN	12.80	1.85

CARP1897A 09/01/1998

	Rates	Fringes
ACADIA, EVANGELINE, IBERIA (West of Atchafalaya River), ST. LANDRY, ST. MARY (West of Atchafalaya River) & VERMILION PARISHES:		

CARPENTERS & LATHERS	11.26	.60
MILLWRIGHTS	11.98	.60
PILEDRIVERMEN	12.16	.60

CARP1964A 01/01/1998

	Rates	Fringes
CATAHOULA, CONCORDIA & MADISON PARISHES:		

CARPENTERS	12.50	2.10
MILLWRIGHTS	13.50	2.10
PILEDRIVERMEN	13.25	2.10

CARP9999A 02/01/1997

	Rates	Fringes
ASSUMPTION, IBERIA (East of the Atchafalaya River), IBERVILLE (South of an East-West line from Darrow, Louisiana to the Atchafalaya River), LAFOURCHE, PLAQUEMINES, ST. JAMES (South of the Mississippi River), ST. MARY (East of the Atchafalaya River), TANGIPAHOA, TERREBONNE & WASHINGTON PARISHES:		

CARPENTERS	14.21	3.20
------------	-------	------

ELEC0130A 09/01/1998

ACCOMPANYING AMENDMENT NO. 0002 TO SOLICITATION NO. DACA63-99-B-0021

Rates Fringes

ASSUMPTION, LAFOURCHE, PLAQUEMINES, ST. JAMES, ST. MARY
(Northeast of the Atchafalaya River) & TERREBONNE PARISHES:

ELECTRICIANS & CABLE SPLICERS	18.54	3.54
-------------------------------	-------	------

ELEC0130C 09/01/1998

Rates Fringes

ASSUMPTION, LAFOURCHE, PLAQUEMINES, ST. JAMES, ST. MARY
(Northeast of Atchafalaya River) & TERREBONNE PARISHES:

LINE CONSTRUCTION:

Lineman	17.54	3.16
Hole Digging Equipment; Tractor with Winch & Derrick; Line Truck with Winch & Derrick Working in Hot Lines	13.16	3.02
Pole Truck & Trailer or Pole Hauling & Setting Truck (Not in Energized Lines)	11.40	2.97
Groundman	8.77	2.89
Truck without Winch	7.89	2.87

ELEC0194A 01/01/1998

Rates Fringes

BIENVILLE, CLAIBORNE, DE SOTO, NATCHITOCHEs (Northeast of the
Red River), RED RIVER & WEBSTER PARISHES:

ELECTRICIANS	16.90	5.98
CABLE SPLICERS	17.40	6.03

ELEC0194B 04/01/1998

Rates Fringes

BIENVILLE, CLAIBORNE, DE SOTO, NATCHITOCHEs (East of the Red
River), RED RIVER & WEBSTER PARISHES:

LINE CONSTRUCTION:

Lineman	14.45	3.39
Operator	10.60	3.25
Groundman; Truck Driver	6.45	3.09

ELEC0446A 09/01/1997

Rates Fringes

CALDWELL, EAST CARROLL, FRANKLIN, JACKSON, LINCOLN, MADISON,
MOREHOUSE, OUACHITA, RICHLAND, TENSAS, UNION & WEST CARROLL
PARISHES:

ELECTRICIANS	15.88	3.76
CABLE SPLICERS	16.13	3.76

ELEC0446B 09/01/1998

ACCOMPANYING AMENDMENT NO. 0002 TO SOLICITATION NO. DACA63-99-B-0021

Rates Fringes

CALDWELL, EAST CARROLL, FRANKLIN, JACKSON, LINCOLN, MADISON,
 MOREHOUSE, OUACHITA, RICHLAND, TENSAS, UNION & WEST CARROLL
 PARISHES:

LINE CONSTRUCTION:

Equipment Operator; Lineman	14.50	2.76
Cable Splicer	14.75	2.76
Groundman	10.29	2.76

ELEC0576A 06/01/1998

Rates Fringes

AVOYELLES, CATAHOULA, CONCORDIA, EVANGELINE, GRANT, LA SALLE,
 NATCHITOCHEES (Southwest of Red River), SABINE, VERNON & WINN
 PARISHES:

ELECTRICIANS	15.10	3.23
CABLE SPLICERS	15.60	3.25

ELEC0576C 06/01/1998

Rates Fringes

AVOYELLES, CATAHOULA, CONCORDIA, EVANGELINE, GRANT, LA SALLE,
 NATCHITOCHEES (Southwest of Red River), SABINE, VERNON & WINN
 PARISHES:

LINE CONSTRUCTION:

Equipment Operator; Lineman	15.10	3.23
Groundman	9.815	3.04

ELEC0861A 10/01/1998

Rates Fringes

ACADIA, ALLEN, BEAUREGARD, CAMERON, IBERIA, JEFFERSON DAVIS,
 ST. MARY (Southwest of Atchafalaya River) & VERMILION PARISHES:

ELECTRICIANS	16.75	4.27
CABLE SPLICERS	17.25	4.29

ELEC0861C 05/01/1998

Rates Fringes

ACADIA, ALLEN, BEAUREGARD, CAMERON, IBERIA, JEFFERSON DAVIS,
 ST. MARY (Southwest of Atchafalaya River) & VERMILION PARISHES:

LINE CONSTRUCTION:

Equipment Operator; Lineman; & Truck Driver	19.70	3.96
Cable Splicer	20.20	3.98
Groundman	17.70	3.90

ELEC0995A 12/01/1998

Rates Fringes

EAST FELICIANA, IBERVILLE, POINTE COUPEE, ST. HELENA, ST. LANDRY

ACCOMPANYING AMENDMENT NO. 0002 TO SOLICITATION NO. DACA63-99-B-0021

& WEST FELICIANA PARISHES:

ELECTRICIANS:

Electrical Contracts Up to & Including 5 Million Dollars:

Electrician	16.20	3.86
Cable Splicer	16.45	3.89

Electrical Contracts Over 5 Million Dollars:

Electrician	18.15	4.09
Cable Splicer	18.40	4.12

ELEC0995C 12/01/1998

	Rates	Fringes
EAST FELICIANA, IBERVILLE, POINTE COUPEE, ST. HELENA, ST. LANDRY & WEST FELICIANA PARISHES:		

LINE CONSTRUCTION:

Electrical Contracts Up To & Including \$5,000,000.00:

Lineman; Technician	16.20	3.86
Cable Splicer	16.45	3.89
Heavy Equipment Operator	12.15	3.40
Truck Driver; Groundman	7.29	2.84

Electrical Contracts Over \$5,000,000.00:

Lineman; Technician	18.15	4.09
Cable Splicer	18.40	4.12
Heavy Equipment Operator	13.61	3.57
Truck Driver; Groundman	8.17	2.94

ELEC1077A 12/01/1998

	Rates	Fringes
TANGIPAHOA & WASHINGTON PARISHES:		

ELECTRICIANS	17.00	2.66
CABLE SPLICERS	17.75	2.68

ELEV0016A 07/10/1998

	Rates	Fringes
ACADIA, ALLEN, ASSUMPTION, BEAUREGARD, CAMERON, EAST FELICIANA, EVANGELINE, IBERIA, IBERVILLE, JEFFERSON DAVIS, LAFOURCHE, PLAQUEMINES, POINTE COUPEE, ST. HELENA, ST. JAMES, ST. LANDRY, ST. MARY, TANGIPAHOA, TERREBONNE, VERMILION, WASHINGTON & WEST FELICIANA PARISHES:		

ELEVATOR MECHANICS	19.695	6.675+a+b
--------------------	--------	-----------

FOOTNOTES:

- a. Seven Paid Holidays: New Year's Day; Memorial Day; Independence Day; Labor Day; Thanksgiving Day; The Day after Thanksgiving; & Christmas Day

ACCOMPANYING AMENDMENT NO. 0002 TO SOLICITATION NO. DACA63-99-B-0021

- b. Employer contributes 8% of regular hourly rate to vacation pay credit for employee who has worked in business more than 5 years; 6% for less than 5 years

 ELEV0098B 12/05/1998

	Rates	Fringes
AVOYELLES, BIENVILLE, CALDWELL, CATAHOULA, CLAIBORNE, CONCORDIA, DE SOTO, EAST CARROLL, FRANKLIN, GRANT, JACKSON, LA SALLE, LINCOLN, MADISON, MOREHOUSE, NATCHITOCHEs, OUACHITA, RED RIVER, RICHLAND, SABINE, TENSAS, UNION, VERNON, WEBSTER, WEST CARROLL & WINN PARISHES:		

ELEVATOR MECHANICS	20.445	6.675+a+b
--------------------	--------	-----------

FOOTNOTES:

- a. 7 Paid Holidays: New Year's Day; Memorial Day; Independence Day; Labor Day; Thanksgiving Day; the day after Thanksgiving; & Christmas Day
- b. Employer contributes 8% of regular hourly rate to vacation pay credit for employee who has worked in business more than 5 years; 6% for less than 5 years.

 ENGI0406A 05/01/1998

	Rates	Fringes
EAST FELICIANA, IBERVILLE, POINTE COUPEE, ST. HELENA & WEST FELICIANA PARISHES; ASSUMPTION & ST. JAMES PARISHES (Northwest of a straight line drawn from the city of Berwick to the city of Lutcher); IBERIA PARISH (East & west of a line from the city of Berwick, north to the eastern boundary of the city of Krotz Springs); TANGIPAHOA & WASHINGTON PARISHES (West of a line drawn north from the city of Lutcher to the east side of the city of Hammond to the Louisiana-Mississippi border):		

POWER EQUIPMENT OPERATORS:

GROUP 1	16.11	2.50
GROUP 2	16.36	2.50
GROUP 3	16.61	2.50
GROUP 4	16.86	2.50
GROUP 5	17.11	2.50
GROUP 6	17.36	2.50
GROUP 7	15.86	2.50
GROUP 8	13.18	2.50
GROUP 9	11.61	2.50
GROUP 10	9.45	2.50
GROUP 11	10.78	2.50

POWER EQUIPMENT OPERATOR CLASSIFICATIONS

GROUP 1 - Crane 60 Tons & Over; Crane Boom 100 ft. & Over, but less than 150 ft.; & Piledriver, Leads 100 ft. & Over, but less than 150 ft.

GROUP 2 - Crane 100 Tons, up to 125 Tons; Crane Boom 150 ft. &

ACCOMPANYING AMENDMENT NO. 0002 TO SOLICITATION NO. DACA63-99-B-0021

Over, but less than 225 ft.; & Piledriver, Leads 150 ft. & Over, but less than 225 ft.

GROUP 3 - Crane 125 Tons, up to 200 Tons; Crane Boom 225 ft. & Over, but less than 300 ft.; & Piledriver, Leads 225 ft. & Over, but less than 300 ft.

GROUP 4 - Crane 200 Tons, up to 300 Tons

GROUP 5 - Crane 300 Tons

GROUP 6 - Crane Boom 300 ft. & Over; & Pildedriver 300 ft. & Over

GROUP 7 - Crane; Backhoe; Cableway; Concrete Mixer, 16S & Up; Derrick; Dragline; Dredge; Hoist, 2 Drums; Locomotive Crane; Paving Mixer; Piledriver; Road Paver; Roller on Asphalt or Brick (5 Tons or Over); Shovel; Sideboom Cat; Bulldozer; Motor Patrol; Scraper; Hydrolift Crane; Hydrolift Truck; Yard Crane; Cherry Picker, etc.; Foundation, Boring & Reaming Machine; Cement Stabilizer; Trenching Machine; Asphalt Spreader; Traxcavator & Similar Front End Loading Equipment with Scoop or Bucket of 1 cu. yd. or more capacity; Tug Boat; Turnapull, Euclid, DW-10 & Other Similar Self-Loading Earth Moving Equipment; Concrete Pump (Not Pumpcrete); & Computer Batch Plant

GROUP 8 - A-Frame Truck; Crew Boat; Fireman; Fork Lift; Straddle Buggy; Traxcavator, Scoopmobile & Similar Front End Loading Equipment with Scoop or Bucket, Under 1 cu. yd. capacity; Locomotive; Well Point System; Unit Operator; & Hoist, 1 Drum, 4 stories & Over

GROUP 9 - Air Compressor; Asphalt Plant Engineer; Blade Grader; Distributor (Bituminous Surface); Finishing Machine (Concrete, Paving); Hoist, 1 Drum, Less than 4 stories; Concrete Mixer Under 16-S; Oiler Driver; Pump Crete; Street & Road Sweeper; Roller (Except on Asphalt or Brick); Roller, Asphalt or Brick (Under 5 Tons); Post-Hole Digger; Tractor, Bush Hog & Similar Grass or Bush Cutting Equipment; & Batch Plant

GROUP 10 - Oiler

GROUP 11 - Pump, Over 3" Suction; & Snatch Cat

ENGI0406B 11/01/1998

ALLEN, BEAUREGARD, CAMERON, JEFFERSON DAVIS & VERNON PARISHES:

POWER EQUIPMENT OPERATORS:

	Rates	Fringes
Group 1	13.36	2.50
Group 2	9.25	2.50
Group 3	13.61	2.50
Group 4	13.86	2.50
Group 5	14.11	2.50
Group 6	14.36	2.50

Group 7	14.86	2.50
Group 8	8.59	2.50

POWER EQUIPMENT OPERATOR CLASSIFICATIONS

GROUP 1 - Crane; Derrick; Deck Winch (2); Hi-Ho & Similar Type Equipment; Three Drum (or more) Stabilizer; Pull; Concrete Mixer 1 yd. & over; Paver; Ditching or Trenching Machine (Track Type); Mechanic & Equipment Welder; Wellpoint System; Hoist, 2 Drums or more; Hoist, 1 Drum, 40 Vertical ft. or more; Scraper; Bulldozer, Rubber-tired or Track, other than Farm-type; Scoopmobile; Motor Patrol; Gradeall; Roller on Hot Mix; Asphalt Paving Machine; Front End Loader, other than Farm-type, 1 cu. yd. or over; Shovel & Backhoe & Equivalent Equipment; Piledriver; Sideboom Cat; Boom Truck; Bush Hog; Cableway; Cherry Picker; Dredge; Foundation Drill Locomotive; Motorized Street Sweeper (Self-propelled) Push Cat; & Test Pump (Internal Combustion Engine Powered)

GROUP 2 - Two Drum & Single Drum Stabilizer; Front End Loader under 1 cu. yd.; A-Frame Truck when handling Steel or Pipe; Finishing Machine (Concrete); Power Subgader; 2 Tractors (Crawler Type); 1 Drum Hoist Under 40 Vertical Ft.; Fireperson; Concrete Spreader; Pugmill; Bituminous Distributor on Surface Treatment & Equivalent Equipment; Bull Float & Equivalent Equipment; Job Greaseman; Work Boat, not requiring licensed operators; Inboard & Outboard Motored Crew Boat; Concrete Mixer Under 1 yd.; Spray Curing Machine; Roller on Subgrade; 1 Air Compressor over 125 cu. ft.; Form Grader; Asphalt Finisher Screedman; Pump Over 4"; Scale Operator; Crusher; Concrete Jointing Machine; Concrete Saw; Tack Machine & Equivalent Equipment; Pumpcrete; Electric Elevator (Inside); Oiler Driver; Farm-type Rubber Tired Tractor with attachments, except Backhoe; Kolum Buff & Similar Equipment; Fork Lift, 10-ton capacity & Under; Batch Plant; Oiler on Crane using Air to Drive Pile; Fireperson Operating Steam Valve, Unit Operator; Mixer (1 Sack Under); Oiler-Compressor; Oiler-Driver on Motor Crane; Oiler-Fireperson; Pump (Under 3" Suction); Scale Operator, Water Blast Pump; & Welding Machine

GROUP 3 - Operator on Crane 60 to 99 Tons; Crane with Boom 100 Ft. to 149 Ft.

GROUP 4 - Operator on Crane 100 to 125 Tons; Crane with Boom 150 Ft. to 224 Ft.

GROUP 5 - Operator on Crane 126 to 200 Tons

GROUP 6 - Operator on Crane 201 to 300 Tons; Crane with Boom 225 Ft. to 299 Ft.

GROUP 7 - Operator on Crane Over 300 Tons; Crane with Boom 300 & Over

GROUP 8 - Oiler

POWER EQUIPMENT OPERATOR CLASSIFICATIONS

GROUP 1 - Oiler

GROUP 2 - Oiler-Driver

GROUP 3 - Scaleperson

GROUP 4 - Air Compressor; Asphalt Plant; Bulldozer, D-4 & Equivalent & Under; Bullfloats; Concrete Spreader; Finishing Machines; Concrete Mixers (16-s or less); Concrete Saw; Distributors (Bituminous Surface); Dowell Bar Machine; Farm-type Tractor (With all attachments, except Backhoe); Fire-person; Fork Lifts (Other than Setting Steel, Machinery or Pipe); Hoist, 1 Drum less than 4 stories; Kolum Buff Machine; Pull Cats; Pump (3" & Over); Pump, Concrete (Under 6"); Rollers, except on Asphalt or Brick; Straddle Buggies; Sweepers on Streets & Roads (Motorized); Winch Truck, A-Frame (Other than handling Steel or Pipe)

GROUP 5 - Asphalt Spreader; Backhoe; Bulldozer, Over D-4 & Equivalent; Cableways; Concrete Mixer, Over 16-s; Cranes; Derricks; Ditching or Trenching Machines; Draglines; Fork Lifts (Setting Steel, Machinery or Pipe); Front End Loaders (Except Farm-type Tractors); Grease Service Person; Hoist, 1 Drum, 4 stories or more or 40 ft. (on Structures other than buildings); Hoist, 2 Drums & Over; Hydrolifts; Heavy Duty Mechanic; Motor Patrols; Piledrivers; Pump Concrete (6" & Over); Road Pavers; Rollers on Asphalt or Brick; Scoopmobiles; Scrapers; Sideboom Cats; Shovels; Tractor-vators; Welder; Winch Cats (Hoisting); Winch Truck, A-Frame (Handling Steel or Pipe)

 ENGI0406E 11/01/1998

	Rates	Fringes
LAFOURCHE, PLAQUEMINES & TERREBONNE PARISHES;		
ASSUMPTION, ST. JAMES, ST. MARY, TANGIPAHOA & WASHINGTON PARISHES (That portion of southeastern Louisiana bounded on the north by the state of Mississippi, on the east by the state of Mississippi & the Mississippi Sound, on the south by the Gulf of Mexico & on the west by a line drawn as follows: beginning at a point on the Louisiana-Mississippi boundary in Washington Parish, due north of the town of Hackley, then southwesterly in a straight line to a point on the east bank of the Mississippi River at the southernmost point of Lutcher ((including Gramercy in the area)), thence in a more southwesterly direction in a straight line to midstream of the Atchafalaya River at Morgan City-Berwick ((including Morgan City in this area)), thence southerly on a line following midstream of the Atchafalaya River to the Atchafalaya Bay & in a line due south to the Gulf of Mexico):		

POWER EQUIPMENT OPERATORS:

GROUP 1	17.23	2.50
---------	-------	------

ACCOMPANYING AMENDMENT NO. 0002 TO SOLICITATION NO. DACA63-99-B-0021

GROUP 2	16.73	2.50
GROUP 3	16.23	2.50
GROUP 4	15.98	2.50
GROUP 5	15.73	2.50
GROUP 6	15.48	2.50
GROUP 7	15.23	2.50
GROUP 8	12.68	2.50
GROUP 9	12.49	2.50
GROUP 10	10.79	2.50
GROUP 11	9.08	2.50

POWER EQUIPMENT OPERATOR CLASSIFICATIONS

GROUP 1 - Crane Over 400 Tons; & Crane Boom 400 Ft. & Over

GROUP 2 - Crane 300 Tons & Up to 400 Tons; Crane Boom 300 Ft. & Over, but Less Than 400 Ft.; & Tower Crane Over 30 Floors

GROUP 3 - Crane 200 Tons & Up to 300 Tons; Crane Boom 225 Ft. & Over, but Less Than 300 Ft.; & Tower Crane Boom Height 225 Ft. & Over Up to 30 Floors

GROUP 4 - Crane 125 Tons & Up to 200 Tons

GROUP 5 - Crane 100 Tons & Up to 125 Tons; Crane Boom 150 Ft. & Over, but Less Than 225 Ft.; Tower Crane Boom Height 150 Ft. & Over, but Less Than 225 Ft.

GROUP 6 - Crane 60 Tons & Above; Crane Boom 100 Ft. & Over, but Less Than 150 Ft.; Tower Crane Boom Height 100 Ft. & Over, but Less Than 150 Ft.

GROUP 7 - Heavy Equipment

GROUP 8 - Unit & wellpoint

GROUP 9 - Light Equipment

GROUP 10 - Batch Plant; & Oiler (Driver)

GROUP 11 - Oiler

IRON0058A 06/01/1998

	Rates	Fringes
PLAQUEMINES PARISH;		
LAFOURCHE, ST. JAMES, TANGIPAHOA, TERREBONNE & WASHINGTON PARISHES (West of a straight line drawn from the Louisiana-Mississippi border, east of the city limits of Warrenton, Louisiana, southwest through Hammond, Louisiana to the Gulf of Mexico):		

IRONWORKERS	15.85	4.55
-------------	-------	------

IRON0469A 06/01/1998

ACCOMPANYING AMENDMENT NO. 0002 TO SOLICITATION NO. DACA63-99-B-0021

	Rates	Fringes
MADISON PARISH (The cities of Mound & Delta & adjacent areas):		
IRONWORKERS	15.85	4.25

IRON0591A 06/01/1998

	Rates	Fringes
DE SOTO, RED RIVER & WEBSTER PARISHES;		
BIENVILLE, CLAIBORNE, NATCHITOCHEs & WINN PARISHES (West of a line drawn directly south from the Arkansas-Louisiana border through the cities of Arcadia & Cloutierville);		

SABINE PARISH (North of a line drawn from the Natchitoches Parish boundary west through the city of Peason to the Texas-Louisiana border):

IRONWORKERS	15.85	4.30
-------------	-------	------

IRON0623A 06/01/1998

	Rates	Fringes
ASSUMPTION, AVOYELLES, EAST FELICIANA, IBERIA, IBERVILLE, POINTE COUPEE, ST. HELENA, ST. MARY & WEST FELICIANA PARISHES;		

ACADIA, EVANGELINE, ST. LANDRY & VERMILION PARISHES (East of a line drawn from the meeting point of the boundaries of the Parishes of Avoyelles, Evangeline & Rapides, southeast along the western city limits of Abbeville to the Gulf of Mexico);

CATAHOULA, CONCORDIA & LA SALLE PARISHES (South of a line drawn from Natchez through the city of Cottonport to the Rapides Parish line, then west along the southern border of Rapides Parish);

LAFOURCHE, TANGIPAHOA, TERREBONNE & WASHINGTON PARISHES (West of a straight line drawn from the Louisiana-Mississippi border, west of the city limits of Warrenton, southwest through Hammond to the Gulf of Mexico);

ST. JAMES PARISH (West of a straight line drawn from the Louisiana-Mississippi border, west of the city limits of Warrenton, southwest through Hammond to the Gulf of Mexico):

IRONWORKERS	15.85	4.30
-------------	-------	------

IRON0710A 06/01/1998

	Rates	Fringes
ALLEN, BEAUREGARD, CALDWELL, CAMERON, EAST CARROLL, FRANKLIN, GRANT, JACKSON, JEFFERSON DAVIS, LINCOLN, MOREHOUSE, OUACHITA, RICHLAND, TENSAS, UNION, VERNON & WEST CARROLL PARISHES;		

ACADIA, EVANGELINE, ST. LANDRY & VERMILION PARISHES (Southwest of Rapides Parish & west of a line south of the westernmost border between Rapides & Evangeline);

ACCOMPANYING AMENDMENT NO. 0002 TO SOLICITATION NO. DACA63-99-B-0021

BIENVILLE, CLAIBORNE, NATCHITOCHEs & WINN PARISHES (East of a line drawn directly south from the Arkansas-Louisiana border through the cities of Arcadia & Cloutierville);

CATAHOULA, CONCORDIA & LA SALLE PARISHES (North of a line drawn from Natchez through the city of Cottonport to the Rapides Parish line);

MADISON PARISH (Except the cities of Mound, Delta & adjacent areas):

IRONWORKERS	15.85	4.25
-------------	-------	------

LABO0207A 11/01/1998

	Rates	Fringes
ALLEN, BEAUREGARD, CAMERON, JEFFERSON DAVIS & VERNON PARISHES:		

LABORERS:

Vernon Parish (Ft. Polk)	9.85	1.04
Allen, Beauregard, Cameron, Jefferson Davis & Vernon (Exclu. Ft. Polk) Parishes	7.40	1.04

LABO0229A 05/01/1998

	Rates	Fringes
BIENVILLE, CLAIBORNE, DE SOTO, RED RIVER, SABINE & WEBSTER PARISHES:		

LABORERS:

Jackhammer Operators	7.50	.90
All Other Laborers	6.10	.90

LABO0689A 11/01/1998

	Rates	Fringes
ASSUMPTION, LAFOURCHE, PLAQUEMINES, ST. JAMES, TANGIPAHOA, TERREBONNE & WASHINGTON PARISHES:		

LABORERS:

Assumption, Plaquemines, St. James, Tangipahoa & Washington Parishes:		
Building	10.89	1.08
Form Setters	11.09	1.08
Gunite Operators	11.14	1.08

Lafourche & Terrebonne Parishes:

Building	10.57	1.08
Jackhammers	10.72	1.08

LABO0762A 11/01/1998

	Rates	Fringes
ACADIA, AVOYELLES, EVANGELINE, GRANT, IBERIA, LA SALLE, NATCHITOCHEs, ST. LANDRY, ST. MARY, VERMILION & WINN PARISHES:		

ACCOMPANYING AMENDMENT NO. 0002 TO SOLICITATION NO. DACA63-99-B-0021

LABORERS:

GROUP 1	8.92	.80
GROUP 2	9.12	.80

LABORER CLASSIFICATIONS

GROUP 1 - Building; Rotary Drill; & Foundation Drill Crewmen

GROUP 2 - Mason Mixer; Plaster Mixer; Mechanical Tool Operator (Jackhammer, Vibrator, Tamper, Chipping Gun, Soil Tiller) & Burner on Demolition; Sandblaster; Laying Concrete Pipe, Clay Pipe, Plastic Pipe, Asbestos Cement Pipe, Casing Pipe & Corrugated Metal Pipe, as Sewer Pipe & Underground Tile (Caulkers, Joint Wipers, Hot Pot & Pipe Layers); Gas & Oil Pipeline Laborer; Wrapper & Doper

LABO0831A 11/01/1998

	Rates	Fringes
CALDWELL, CATAHOULA, CONCORDIA, EAST CARROLL, FRANKLIN, JACKSON, LINCOLN, MADISON, MOREHOUSE, OUACHITA, RICHLAND, TENSAS, UNION & WEST CARROLL PARISHES:		

LABORERS:

GROUP 1	8.45	.80
GROUP 2	8.60	.80
GROUP 3	8.75	.80

LABORER CLASSIFICATIONS

GROUP 1 - General; Tender (Brickmason, Stonemason, Cement Mason, Carpenter & Plasterer); Stripping & Dismantling; Concrete Form Work; Loading, Unloading, Carrying & Handling Steel & Steel Mesh; Assisting to the Setting of Cut Stone, Granite or Artificial Stone; Building Scaffold; & Shoring

GROUP 2 - Mechanical Tool Operator (Air, Electric, Motor, Engine, Etc.); Sewer Pipelayer; Mortar Mixer (Hand or Machine); Gunnite Operator; Tile, Terrazzo & Marble Setter Finishers

GROUP 3 - Pipe Doper & Burner

LABO1177A 05/01/1998

	Rates	Fringes
EAST FELICIANA, IBERVILLE, POINTE COUPEE, ST. HELENA & WEST FELICIANA PARISHES:		

LABORERS:

GROUP 1	9.50	1.05
GROUP 2	9.60	1.05
GROUP 3	9.65	1.05
GROUP 4	10.23	1.05
GROUP 5	9.98	1.05
GROUP 6	9.90	1.05
GROUP 7	7.21	1.05

LABORER CLASSIFICATIONS

GROUP 1 - Building & General; Carpenter Tender; Scaffold Building; Handling & Conveying Materials; Handling Steel Pans; Tank Scalers; Mixing & Pouring Concrete; & Deck Hands

GROUP 2 - Scaler Using Boatswain Chair, Safety Belt or Power Tool; Power Tool Operator (Hammer Man, Tamper Man, Concrete Chipper or Cutter, Vibrator, Power Buggy, & Chain Saw Operator); Pipe & Sewer Man (Laying of all types of Pipe, Wiping Joints, Cleaning & Wrapping Pipe, Caulker & Grade Carrier)

GROUP 3 - Mason Tender; Plasterer Tender; Cement Mix (Wet or Dry); Hod Carrier; Mortar Mixer & Cement Mixer (Wet or Dry); Hot Pan Man; Concrete Cutter & Puddler; Asphalt Worker; Well Drilling Tender; Guniting Worker & Pot Tender (Sandblasting)

GROUP 4 - Blaster-Powder Man

GROUP 5 - Blaster-Powder Man Tender

GROUP 6 - Form Setter & Liner, Steel; Nozzle Operator (Guniting or Sandblasting)

GROUP 7 - Cleanup

PAIN0728B 05/01/1997

	Rates	Fringes
ACADIA (Part), ASSUMPTION (North of Hwy #22), CONCORDIA, EAST FELICIANA, IBERIA, IBERVILLE, POINTE COUPEE, ST. HELENA, ST. LANDRY (Southern half), ST. MARY (Excluding Morgan City Area), TANGIPAHOA (West of Hwy #51), VERMILION & WEST FELICIANA PARISHES:		

PAINTERS:

Drywall; Taping; Floating;		
Sheetrock; & Texture	12.90	1.45
Brush; Sandblasting; Spray & Steel	14.65	1.45

PAIN1244A 04/01/1997

	Rates	Fringes
ASSUMPTION (South of Grand Bayou), LAFOURCHE, PLAQUEMINES, ST. JAMES, ST. MARY (Morgan City Area), TERREBONNE & WASHINGTON PARISHES:		

PAINTERS:

Power Plants, Refineries, Cracking Plants, Tank Farms, Chemical Processing Plants, Missile Plants, Smoke Stacks & Cat Crackers	13.85	2.85
All Other Commercial Building Work	12.39	2.85

ACCOMPANYING AMENDMENT NO. 0002 TO SOLICITATION NO. DACA63-99-B-0021

PAIN1244E 04/01/1998

	Rates	Fringes
BIENVILLE, CALDWELL, CATAHOULA, CLAIBORNE, DE SOTO, EAST CARROLL, FRANKLIN, GRANT, JACKSON, LA SALLE, LINCOLN, MADISON, MOREHOUSE, NATCHITOCHEs, OUACHITA, RED RIVER, RICHLAND, SABINE, TENSAS, UNION, VERNON, WEBSTER, WEST CARROLL & WINN PARISHES:		
PAINTERS	10.25	1.72

PAIN1244F 01/01/1998

	Rates	Fringes
ACADIA (Part), ALLEN, BEAUREGARD, CAMERON, EVANGELINE (Part) & JEFFERSON DAVIS PARISHES:		
PAINTERS	12.45	2.55

PAIN1244N 03/01/1998

	Rates	Fringes
GLAZIERS	14.40	2.94

LA990005 - 1

PLAS0483A 05/01/1998

	Rates	Fringes
ASSUMPTION, EAST FELICIANA, IBERVILLE, POINTE COUPEE, ST. HELENA, ST. JAMES, TANGIPAHOA & WEST FELICIANA PARISHES:		
PLASTERERS	15.20	

PLAS0487A 04/01/1998

	Rates	Fringes
ALLEN, AVOYELLES, BEAUREGARD, CAMERON, CATAHOULA, CONCORDIA, EVANGELINE, GRANT, JEFFERSON DAVIS, LA SALLE & VERNON PARISHES:		
CEMENT MASONS	13.42	
PLASTERERS	14.20	

PLAS0567A 07/01/1997

	Rates	Fringes
LAFOURCHE, PLAQUEMINES & TERREBONNE PARISHES:		
CEMENT MASONS (Building Foundations only)	13.38	1.68

PLAS0685A 10/01/1998

	Rates	Fringes
ACADIA, IBERIA, ST. LANDRY, ST. MARY & VERMILION PARISHES:		
CEMENT MASONS	11.00	2.20

ACCOMPANYING AMENDMENT NO. 0002 TO SOLICITATION NO. DACA63-99-B-0021

PLAS0685C	07/01/1998		
		Rates	Fringes
ACADIA, IBERIA, ST. LANDRY, ST. MARY & VERMILION PARISHES:			
PLASTERERS		14.25	.01

PLAS0812A	05/01/1998		
		Rates	Fringes
ASSUMPTION, EAST FELICIANA, IBERVILLE, POINT COUPEE, ST. HELENA, ST. JAMES, TANGIPAHOA & WEST FELICIANA PARISHES:			
CEMENT MASONS		13.55	

PLAS0903A	05/01/1998		
		Rates	Fringes
BIENVILLE, CLAIBORNE, DE SOTO, RED RIVER & WEBSTER PARISHES:			
CEMENT MASONS		9.65	.85

PLUM0060A	07/17/1998		
		Rates	Fringes
LAFOURCHE, PLAQUEMINES, ST. JAMES (Eastern part), TANGIPAHOA (Cities of Robert, Hammond, Ponchatoula, Tickfaw, Baptist & Pumpkin LCenter) TERREBONNE & WASHINGTON PARISHES:			
PLUMBERS		17.45	3.81

PLUM0106A	11/01/1998		
		Rates	Fringes
ACADIA, ALLEN, BEAUREGARD, CAMERON, IBERIA (West of Hwy 31 & Hwy 83), JEFFERSON DAVIS, ST. LANDRY & VERMILION PARISHES:			
PLUMBERS & STEAMFITTERS		18.75	3.49

PLUM0141A	02/01/1998		
		Rates	Fringes
BIENVILLE, CLAIBORNE, DE SOTO, RED RIVER, SABINE & WEBSTER PARISHES;			
NATCHITOCHEs & VERNON PARISHES (Northwest of a line drawn from Natchitoches to Anacoco through Bellwood & north of Hwy #111 between Anacoco & Haddens);			
WINN PARISH (West of a line drawn from Winnfield to the junction of the Parish boundaries of Winn, Bienville & Jackson):			
PLUMBERS & PIPEFITTERS		16.35	4.35

PLUM0198A	01/01/1999		
		Rates	Fringes

ACCOMPANYING AMENDMENT NO. 0002 TO SOLICITATION NO. DACA63-99-B-0021

ASSUMPTION, EAST FELICIANA, IBERIA (East of Hwy 31 & Hwy 83),
 IBERVILLE, POINTE COUPEE, ST. HELENA, ST. JAMES (Western part),
 ST. MARY, TANGIPAHOA (Excluding Cities of Robert, Hammond,
 Ponchatoula, Tickfaw, Baptist & Pumpkin Center) & WEST FELICIANA
 PARISHES:

PLUMBERS & STEAMFITTERS	16.44	3.81
-------------------------	-------	------

PLUM0247A 11/01/1998

Rates	Fringes
-------	---------

AVOYELLES, CATAHOULA, CONCORDIA, EVANGELINE, GRANT, LA SALLE,
 NATCHITOCHEs (City limits of Natchitoches, Hwy #6 to Hagedood &
 Hwy #117), & VERNON (Ft. Polk & Hwy #117, south to Leesville)
 PARISHES:

PLUMBERS & STEAMFITTERS:

Work where contract price of the mechanical work is less than \$3,000,000.00	15.55	3.05
Work where contract price of the mechanical work is more than \$3,000,000.00	16.55	4.05

PLUM0659A 07/01/1998

Rates	Fringes
-------	---------

CALDWELL, EAST CARROLL, FRANKLIN, JACKSON, LINCOLN, MADISON,
 MOREHOUSE, OUACHITA, RICHLAND, TENSAS, UNION, WEST CARROLL &
 WINN (North of Hwy #84) PARISHES:

PIPEFITTERS & STEAMFITTERS	15.50	3.40
PLUMBERS	14.75	3.40

ROOF0059A 07/01/1998

Rates	Fringes
-------	---------

BIENVILLE, CLAIBORNE, DE SOTO, NATCHITOCHEs, RED RIVER, SABINE
 & WEBSTER PARISHES:

ROOFERS:

Roofers	9.75	.24
Kettlemen	6.50	.24

ROOF0076A 05/01/1998

Rates	Fringes
-------	---------

ALLEN, BEAUREGARD, CAMERON, EVANGELINE, JEFFERSON DAVIS,
 VERMILION & VERNON PARISHES:

ROOFERS	12.90	.20
---------	-------	-----

ROOF0141A 05/01/1998

Rates	Fringes
-------	---------

ASSUMPTION, LAFOURCHE, PLAQUEMINES, ST. JAMES, ST. MARY,

ACCOMPANYING AMENDMENT NO. 0002 TO SOLICITATION NO. DACA63-99-B-0021

TERREBONNE & WASHINGTON PARISHES:

ROOFERS	12.00	1.90
---------	-------	------

ROOF0191A 01/01/1998

	Rates	Fringes
CALDWELL, CATAHOULA, CONCORDIA, EAST CARROLL, FRANKLIN, GRANT, JACKSON, LA SALLE, LINCOLN, MADISON, MOREHOUSE, OUACHITA, RICHLAND, TENSAS, UNION, WEST CARROLL & WINN PARISHES:		

ROOFERS:

Roofers	12.30	.30
Kettlemen	9.40	.30

ROOF0317A 10/01/1998

	Rates	Fringes
ACADIA, AVOYELLES, EAST FELICIANA, IBERIA, IBERVILLE, POINTE COUPEE, ST. HELENA, ST. LANDRY, TANGIPAHOA & WEST FELICIANA PARISHES:		

ROOFERS	14.00	2.24
---------	-------	------

SFLA0669A 01/01/1999

	Rates	Fringes
SPRINKLER FITTERS	18.41	5.90

SHEE0011A 05/01/1998

	Rates	Fringes
LAFOURCHE, PLAQUEMINES, ST. JAMES, TERREBONNE & WASHINGTON PARISHES:		

SHEET METAL WORKERS	16.87	5.25
---------------------	-------	------

SHEE0021A 02/01/1999

	Rates	Fringes
ACADIA, ALLEN, ASSUMPTION, BEAUREGARD, CAMERON, EAST FELICIANA, EVANGELINE, IBERIA, IBERVILLE, JEFFERSON DAVIS, POINTE COUPEE, ST. HELENA, ST. LANDRY, ST. MARY, TANGIPAHOA, VERMILION & WEST FELICIANA PARISHES:		

SHEET METAL WORKERS	17.85	4.00
---------------------	-------	------

SHEE0361A 01/01/1998

	Rates	Fringes
AVOYELLES, BIENVILLE, CALDWELL, CATAHOULA, CLAIBORNE, CONCORDIA, DE SOTO, EAST CARROLL, FRANKLIN, GRANT, JACKSON, LA SALLE, LINCOLN, MADISON, MOREHOUSE, NATCHITOCHEs, OUACHITA, RED RIVER, RICHLAND, SABINE, TENSAS, UNION, VERNON, WEBSTER, WEST CARROLL & WINN PARISHES:		

SHEET METAL WORKERS	16.92	3.67
---------------------	-------	------

 TEAM0005A 10/04/1998

	Rates	Fringes
ACADIA, ASSUMPTION, EAST FELICIANA, EVANGELINE, IBERIA, IBERVILLE, POINTE COUPEE, ST. HELENA, ST. JAMES, ST. LANDRY, ST. MARY, TANGIPAHOA, VERMILION, WASHINGTON & WEST FELICIANA PARISHES:		

TRUCK DRIVERS:

Pickups	10.98
Fuel	11.35
Over 1 Ton, Up to, but not Including 3 Tons	11.23
3 Tons, Up to, but not Including 5 Tons	11.35
5 Tons & Over, Including, but not limited to Winch, Dempsey, Dumpster, Lowboy, Semi-Trailer, Euclid, Tournapull & Similar Equipment Used for Transporting Material	11.52
Larger Trucks (Carry Capacity of rear Axles 50,000 lbs. & Over Winch with "A" Frame when used for transporting material	11.65
	11.48

 TEAM0270A 11/01/1998

	Rates	Fringes
LAFOURCHE, PLAQUEMINES & TERREBONNE PARISHES:		

TRUCK DRIVERS:

Up to 1 1/2 Tons	12.59
1 1/2 Tons up to, but not including 3 Tons	12.70
3 Tons up to, but not including 5 Tons	12.75
5 Tons & Over	13.01

 TEAM0568A 11/01/1998

	Rates	Fringes
BIENVILLE, CLAIBORNE, DE SOTO, RED RIVER & WEBSTER PARISHES:		

TRUCK DRIVERS:

GROUP 1	9.87
GROUP 2	9.95
GROUP 3	10.20
GROUP 4	10.35
GROUP 5	10.50
GROUP 6	10.70
GROUP 7	11.05

TRUCK DRIVER CLASSIFICATIONS

GROUP 1 - Pickup; Spotter & Dumper of Dirt, Gravel, Etc.

GROUP 2 - Stake Body; Flat Bed

GROUP 3 - Single Axle Dump & Water Truck; Transit Mix, Up to & Including 3 yds.

GROUP 4 - Tandem Axle Dump, Batch & Water Truck over 3 tons; Pickup with Trailer

GROUP 5 - Mississippi Wagon, Float, Tractor Trailer; Rubber Tired Tractor & Wobble Wheels

GROUP 6 - Euclid; Lowboy; Dempsey Dumpster; Koehring Dump; 5 Axle Truck; Transit Mix Over 3 yds.

GROUP 7 - Fork Lift

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

=====
Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29 CFR 5.5(a)(1)(v)).

In the listing above, the "SU" designation means that rates listed under that identifier do not reflect collectively bargained wage and fringe benefit rates. Other designations indicate unions whose rates have been determined to be prevailing.

WAGE DETERMINATION APPEALS PROCESS

1.) Has there been an initial decision in the matter? This can be:

- * an existing published wage determination
- * a survey underlying a wage determination
- * a Wage and Hour Division letter setting forth a position on a wage determination matter
- * a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations

Wage and Hour Division
U. S. Department of Labor
200 Constitution Avenue, N. W.
Washington, D. C. 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator
U.S. Department of Labor
200 Constitution Avenue, N. W.
Washington, D. C. 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board
U. S. Department of Labor
200 Constitution Avenue, N. W.
Washington, D. C. 20210

4.) All decisions by the Administrative Review Board are final.

END OF GENERAL DECISION

ACCOMPANYING AMENDMENT NO. 0002 TO SOLICITATION NO. DACA63-99-B-0021

SECTION 07413

METAL SIDING

PART

1 GENERAL

1.1 REFERENCES

The publications listed below form a part of this specification to the extent referenced. The publications are referred to in the text by basic designation only.

AMERICAN IRON AND STEEL INSTITUTE (AISI)

\-AISI-01-\ (1986; Addenda 1989) Cold-Formed Steel Design Manual

AMERICAN SOCIETY FOR TESTING AND MATERIALS (ASTM)

\-ASTM A 463-\ (1996a) Steel Sheet, Aluminum-Coated, by the Hot-Dip Process

\-ASTM A 653-\ (1996) Steel Sheet, Zinc-Coated (Galvanized) or Zinc-Iron Alloy-Coated (Galvannealed) by the Hot-Dip Process

\-ASTM A 792-\ (1995) Steel Sheet, 55% Aluminum-Zinc Alloy-Coated by the Hot-Dip Process

\-ASTM B 117-\ (1994) Operating Salt Spray (Fog) Testing Apparatus

\-ASTM C 518-\ (1991) Steady-State Heat Flux Measurements and Thermal Transmission Properties by Means of the Heat Flow Meter Apparatus

\-ASTM D 522-\ (1993a) Mandrel Bend Test of Attached Organic Coatings

\-ASTM D 714-\ (1987; R 1994) Evaluating Degree of Blistering of Paints

\-ASTM D 968-\ (1993) Abrasion Resistance of Organic Coatings by Falling Abrasive

\-ASTM D 1654-\ (1992) Evaluation of Painted or Coated Specimens Subjected to Corrosive Environments

\-ASTM D 2247-\ (1994) Testing Water Resistance of Coatings in 100% Relative Humidity

\-ASTM D 2794-\ (1993) Resistance of Organic Coatings to the Effects of Rapid Deformation (Impact)

\-ASTM D 3359-\ (1995) Measuring Adhesion by Tape Test

ACCOMPANYING AMENDMENT NO. 0002 TO SOLICITATION NO. DACA63-99-B-0021

- \-ASTM D 4214-\ (1989) Evaluating the Degree of Chalking of Exterior Paint Films
- \-ASTM D 4397-\ (1991) Polyethylene Sheeting for Construction, Industrial, and Agricultural Applications
- \-ASTM D 4587-\ (1991) Conducting Tests on Paint and Related Coatings and Materials Using a Fluorescent UV-Condensation Light- and Water- Exposure Apparatus
- \-ASTM E 84-\ (1995a) Surface Burning Characteristics of Building Materials
- \-ASTM E 96-\ (1995) Water Vapor Transmission of Materials
- AMERICAN SOCIETY OF CIVIL ENGINEERS (ASCE)
- \-ASCE 7-\ (1995) Minimum Design Loads for Buildings and Other Structures

1.2 GENERAL REQUIREMENTS

1.2.1 Design

Criteria, loading combinations, and definitions shall be in accordance with \-ASCE 7-\. Maximum calculated fiber stress shall not exceed the allowable value in the AISI or AA manuals; a one third overstress for wind is allowed. Midspan deflection under maximum design loads shall be limited to L/180. Contract drawings show the design wind loads and the extent and general assembly details of the metal siding. Members and connections not shown on the drawings shall be designed by the Contractor. Siding panels and accessories shall be the products of the same manufacturer. Steel siding design shall be in accordance with \-AISI-01-\.

1.2.2 Architectural Considerations

Panels profile shall be as shown on the drawings.

1.3 SUBMITTALS

Government approval is required for submittals with a "GA" designation; submittals having an "FIO" designation are for information only. The following shall be submitted in accordance with Section \=01330=\ SUBMITTAL PROCEDURES:

SD-04 Drawings\

Siding\; *GA*\.

Drawings consisting of catalog cuts, design and erection drawings, shop coating and finishing specifications, and other data as necessary to clearly describe design, materials, sizes, layouts, construction details, fasteners, and erection. Drawings shall be accompanied by engineering design calculations for the siding panels.

SD-13 Certificates\

Siding\; *FIO*\.

Installation\; *FIO*\.

ACCOMPANYING AMENDMENT NO. 0002 TO SOLICITATION NO. DACA63-99-B-0021

Accessories\; *FIO*\.

Certificates attesting that the panels and accessories conform to the requirements specified. Certified laboratory test reports showing that the sheets to be furnished are produced under a continuing quality control program and that a representative sample consisting of not less than 5 pieces has been tested and has met the quality standards specified for factory color finish. Mill certification for structural bolts, siding, and wall liner panels.

Insulation\; *FIO*\.

Certificate attesting that the insulation furnished for the project contains recovered material, and showing an estimated percent of such recovered material.

SD-14 Samples\

Accessories\; *FIO*\.

One sample of each type of flashing, trim, closure, cap and similar items. Size shall be sufficient to show construction and configuration.

Siding\; *FIO*\.

One piece of each type and finish (exterior and interior) to be used, 9 inches long, full width.

Fasteners\; *FIO*\.

Two samples of each type to be used with statement regarding intended use. If so requested, random samples of bolts, nuts, and washers as delivered to the jobsite shall be taken in the presence of the Contracting Officer and provided to the Contracting Officer for testing to establish compliance with specified requirements.

Insulation\; *FIO*\.

One piece of each type to be used, and descriptive data covering installation.

Sealant\; *FIO*\.

One sample, approximately 1 pound, and descriptive data.

1.4 DELIVERY AND STORAGE

Materials shall be delivered to the site in a dry and undamaged condition and stored out of contact with the ground. Materials shall be covered with weathertight coverings and kept dry. Storage accommodations for metal siding shall provide good air circulation and protection from surface staining.

1.5 WARRANTIES

The Contractor shall provide a weather tight warranty for the metal siding for a period of 5 years to include siding panel assembly, 10 years against the wear of color finish, and 10 years against the corrosion of fasteners caused by ordinary wear and tear by the elements. The warranties shall start upon final acceptance of the work or the date the Government takes possession, whichever is earlier.

Am #2

ACCOMPANYING AMENDMENT NO. 0002 TO SOLICITATION NO. DACA63-99-B-0021

PART 2 PRODUCTS

2.1 *SIDING*\

Panels shall be steel and shall have a factory color finish. Length of sheets shall be sufficient to cover the entire height of any unbroken wall surface when length of run is 30 feet or less. When length of run exceeds 30 feet, each sheet in the run shall extend over two or more spans. Sheets longer than 30 feet may be furnished if approved by the Contracting Officer. Width of sheets with overlapping configurations shall provide not less than 24 inches of coverage in place, and those with interlocking ribs shall provide not less than 12 inches of coverage in place.

2.1.1 Wall Panels

Wall panels shall have interlocking ribs for securing adjacent sheets. Wall panels shall be fastened to framework using concealed fasteners.

2.1.2 Steel Panels

Zinc-coated steel conforming to \-ASTM A 653-\; aluminum-zinc alloy coated steel conforming to \-ASTM A 792-\, AZ 55 coating; or aluminum-coated steel conforming to \-ASTM A 463-\, Type 2, coating designation T2 65. Uncoated wall panels shall be 0.024 inch thick minimum.

2.2 FACTORY COLOR FINISH

Panels shall have a factory applied polyvinylidene fluoride finish on the exposed side. The exterior finish shall consist of a baked-on topcoat with an appropriate prime coat. Color shall be selected from manufacturers standard color chart. The exterior coating shall be a nominal 2 mil thickness consisting of a topcoat of not less than 0.7 mil dry film thickness and the paint manufacturer's recommended primer of not less than 1.0 mil thickness. The interior color finish shall consist of a backer coat with a dry film thickness of 0.5 mil. The exterior color finish shall meet the test requirements specified below.

2.2.1 Salt Spray Test

A sample of the sheets shall withstand a salt spray test for a minimum of 1000 hours in accordance with \-ASTM B 117-\, including the scribe requirement in the test. Immediately upon removal of the panel from the test, the coating shall receive a rating of 10, no blistering, as determined by \-ASTM D 714-\; and a rating of 8, 1/32 inch failure at scribe, as determined by \-ASTM D 1654-\.

2.2.2 Formability Test

When subjected to testing in accordance with \-ASTM D 522-\ Method B, 1/8 inch diameter mandrel, the coating film shall show no evidence of fracturing to the naked eye.

2.2.3 Accelerated Weathering, Chalking Resistance and Color Change

A sample of the sheets shall be tested in accordance with \-ASTM D 4587-\, test condition B for 500 total hours. The coating shall withstand the weathering test without cracking, peeling, blistering, loss of adhesion of the protective coating, or corrosion of the base metal. Protective coating that can be readily removed from the base metal with tape in accordance with \-ASTM D 3359-\, Test Method B, shall be considered as an area indicating loss of

ACCOMPANYING AMENDMENT NO. 0002 TO SOLICITATION NO. DACA63-99-B-0021

adhesion. Following the accelerated weathering test, the coating shall have a chalk rating not less than No. 8 in accordance with \-ASTM D 4214-\ test procedures, and the color change shall not exceed 5 CIE or Hunter Lab color difference (delta E) units in accordance with \-ASTM D 2244-\.

2.2.4 Humidity Test

When subjected to a humidity cabinet test in accordance with \-ASTM D 2247-\ for 1000 hours, a scored panel shall show no signs of blistering, cracking, creepage or corrosion.

2.2.5 Impact Resistance

Factory-painted sheet shall withstand direct and reverse impact in accordance with \-ASTM D 2794-\ 0.500 inch diameter hemispherical head indenter, equal to 1.5 times the metal thickness in mils, expressed in inch-pounds, with no loss of adhesion.

2.2.6 Abrasion Resistance Test

When subjected to the falling sand test in accordance with \-ASTM D 968-\, Method A, the coating system shall withstand a minimum of 50 liters of sand before the appearance of the base metal. The term "appearance of base metal" refers to the metallic coating on steel or the aluminum base metal.

Am #2

2.3 *ACCESSORIES*\

Flashing, trim, metal closure strips, caps, and similar metal accessories shall be the manufacturer's standard products. Exposed metal accessories shall be finished to match the panels furnished. Molded closure strips shall be bituminous-saturated fiber, closed-cell or solid-cell synthetic rubber or neoprene, or polyvinyl chlorided premolded to match configuration of the panels and shall not absorb or retain water.

2.4 *FASTENERS*\

Fasteners for steel panels shall be zinc-coated steel, aluminum, corrosion resisting steel, or nylon capped steel, type and size specified below or as otherwise approved for the applicable requirements. Fasteners for attaching wall panels to supports shall provide both tensile and shear strength of not less than 750 pounds per fastener. Fasteners for accessories shall be the manufacturer's standard. Exposed wall fasteners shall be color finished or provided with plastic color caps to match the panels. Nonpenetrating fastener system for wall panels using concealed clips shall be manufacturer's standard for the system provided.

2.4.1 Screws

Screws shall be as recommended by the manufacturer.

2.4.2 End-Welded Studs

Automatic end-welded studs shall be shouldered type with a shank diameter of not less than 3/16 inch and cap or nut for holding panels against the shoulder.

2.4.3 Explosive Actuated Fasteners

Fasteners for use with explosive actuated tools shall have a shank of not less than 0.145 inch with a shank length of not less than 1/2 inch for

ACCOMPANYING AMENDMENT NO. 0002 TO SOLICITATION NO. DACA63-99-B-0021

fastening panels to steel and not less than 1 inch for fastening panels to concrete.

2.4.4 Blind Rivets

Blind rivets shall be aluminum with 3/16 inch nominal diameter shank or stainless steel with 1/8 inch nominal diameter shank. Rivets shall be threaded stem type if used for other than the fastening of trim. Rivets with hollow stems shall have closed ends.

2.4.5 Bolts

Bolts shall be not less than 1/4 inch diameter, shouldered or plain shank as required, with proper nuts.

2.5 *INSULATION*\

Thermal resistance of insulation shall be not less than the R-values shown on the contract drawings. R-values shall be determined at a mean temperature of 75 degrees F in accordance with \-ASTM C 518-\. Insulation shall be a standard product with the insulation manufacturer, factory-marked or identified with insulation manufacturer's name or trademark and R-value. Identification shall be on individual pieces or individual packages. Blanket insulation shall have a facing as specified in paragraph VAPOR RETARDER. Insulation, including facings, shall have a flame spread not in excess of 75 and a smoke developed rating not in excess of 150 when tested in accordance with \-ASTM E 84-\. The stated R-value of the insulation shall be certified by an independent Registered Professional Engineer if tests are conducted in the insulation manufacturer's laboratory.

2.6 VAPOR RETARDER

2.6.1 Vapor Retarders as Integral Facing

Insulation facing shall have a permeability of 0.1 perm or less when tested in accordance with \-ASTM E 96-\. Facing shall be white sheet vinyl. Facings and finishes shall be factory applied.

2.7 *SEALANT*\

Sealant shall be an elastomeric type containing no oil or asphalt. Exposed sealant shall be colored to match the applicable building color and shall cure to a rubberlike consistency.

2.8 GASKETS AND INSULATING COMPOUNDS

Gaskets and insulating compounds shall be nonabsorptive and suitable for insulating contact points of incompatible materials. Insulating compounds shall be nonrunning after drying.

PART 3 EXECUTION

3.1 *INSTALLATION*\

Installation shall be in accordance with the manufacturer's erection instructions and drawings. Dissimilar materials which are not compatible when contacting each other shall be insulated from each other by means of gaskets or insulating compounds. Improper or mislocated drill holes shall be plugged with an oversize screw fastener and gasketed washer; however, panels with an excess of such holes or with such holes in critical locations shall not be

ACCOMPANYING AMENDMENT NO. 0002 TO SOLICITATION NO. DACA63-99-B-0021

used. Exposed surfaces and edges shall be kept clean and free from sealant, metal cuttings, hazardous burrs, and other foreign material. Stained, discolored, or damaged sheets shall be removed from the site.

3.1.1 Siding and Accessories

Siding shall be applied with the longitudinal configurations in the vertical position. Accessories shall be fastened into framing members, except as otherwise approved. Closure strips shall be provided as indicated and where necessary to provide weathertight construction.

3.1.1.1 Concealed Fastener Wall Panels

Panels shall be fastened to framing members with concealed fastening clips or other concealed devices standard with the manufacturer. Spacing of fastening clips and fasteners shall be in accordance with the manufacturer's written instructions. Spacing of fasteners and anchor clips along the panel interlocking ribs shall not exceed 12 inches on center except when otherwise approved. Fasteners shall not puncture metal sheets except as approved for flashing, closures, and trim; exposed fasteners shall be installed in straight lines. Interlocking ribs shall be sealed with factory-applied sealant. Joints at accessories shall be sealed.

- - o 0 o - -